

# **Nest US1**

48 x 40

CPP 110 | CPP 113





## Nestable, extremely light weight plastic pallet in imperial units $48" \times 40"$

The new Nest US 1.1 with its 5.0 kg becomes the lightest 48x40 inch pallet in our program. It is excellently suited for one-way shipping and air cargo.

## Bottom support





> 9 feet (9F)

> 3 runners (3R)

#### Deck options



> open deck (OD)



Reduced freight charge by self assembly of runners





Smooth and clean surfaces guarantee the hygienic transport of food.


# Technical data\*1

				Dimensions	Load capacities*2 [lbs] / [kg]			Weight [lbs] / [kg]	
	Previous name	Bottom support		[in] / [mm]	Static	Dynamic	Racking	HDPE	ACM
Nest US1 (0D-9F)	CPP 110	9 feet, nestable	open	48.0 x 40.0 x 5.1 1219 x 1016 x 130	<b>3500</b> 1600	2200 1000	_	13.0 6.0	14.0 6.5
Nest US1 (0D-3R)	CPP 113	3 runners, snap-on		48.0 x 40.0 x 5.5 1219 x 1016 x 140	6600 3000	2800 1250	_	16.5 7.5	17.5 8.0

Entry: 4 ways | Nesting height: 1.5 in / 38 mm | Safety rim: 0.2 in / 5 mm







nominal sizes in inch | mm

# Options

 > Individual marking\*3

Anti-slip: safety rim (standard)

ESD prevention: -









<sup>\*</sup>¹ Figures can vary depending on the raw material used and options applied. \*² Guideline values are based both on experience and parts of test ISO 8611, which tests with evenly distributed loads at room temperature (68°F / 20°C). Varying data may result from different conditions of usage. Your specific requirements can be identified upon request. \*³ Minimum quantity required ACM pallets should only be used and stored in a dry environment. We reserve the right to change any of the stated information without prior notice.

